

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	("6134664").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/15 10:12
S3	2	("6212649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/15 10:15
S4	14	("5893083" "6134664" "6212649" "6266773" "6298445" "6321338" "6484203").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:00
S5	2	"20020019945"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:03
S6	0	"10082235".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:03
S7	5	"082235".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:03
S11	5	("6347374" "6453345").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:14
S12	4	("5905859" "6493752").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:14
S13	5	"common format event"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:29
S14	11	"common format event" or "common event format"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:35

S15	4683	(alert near generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:35
S16	1035	S15 and (event with (monitor\$3 or track\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:37
S26	4689	(alert near generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 08:28
S27	1036	S26 and (event with (monitor\$3 or track\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 08:28
S28	99	S27 and ((filter\$3 or sort\$3 or screen\$3)adj (event or alert))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 08:45
S29	168271	((plurality with (outputs or messages or signals or files)) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 08:49
S30	2596	S29 and ((outputs or messages or signals or files) with (different or various) with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 08:51
S31	393	S30 and ((output or message) with ("user id" or "device id" or "ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:25
S32	164	S31 and ((convert\$3 or translat\$3) with (output or message or signal) with ((common or standard) adj\$2 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:21
S33	163	S32 and ((add\$3 or insert\$3 or append\$3) near\$2 (information or knowledge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:22

S34	163	S32 and ((add\$3 or insert\$3 or append\$3) adj\$2 (information or knowledge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:23
S35	85	S32 and (((add\$3 or insert\$3 or append\$3) adj\$2 (information or knowledge)) with (table or "table files" or "knowledge base table" or "intelligent table"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 09:41
S36	4	S35 and (rules with alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:23
S41	29	S35 and alert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 09:34
S42	55	"6016107" or "5987432" or "5864827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 09:34
S43	1073	S30 and ((convert\$3 or translat\$3) with (output or message or signal) with ((common or standard) adj\$2 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:22
S44	1048	S43 and ((add\$3 or insert\$3 or append\$3) adj\$2 (information or knowledge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:28
S45	19	S44 and (rules with alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:24
S46	163	S44 and ((output or message) with ("user id" or "device id" or "ID"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:25
S47	261	S43 and (format with (description near\$4 event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:34

S48	2	S47 and ((compar\$3 or match\$3) with (table adj (values or entries)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:36
S49	34	S47 and (table adj (values or entries))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:37
S50	1229817	(receiv\$3 with (plurality adj\$3 outputs))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:55
S51	164309	S50 and (outputs with ((different or various) adj\$3 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:40
S52	12581	S51 and (output with (convert\$3 or translat\$3) with ((common or standard) adj\$2 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:42
S53	6265	S52 and (output with ("user id" or "device id" or "ID" or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:45
S54	913	S53 and ((convert\$3 or translat\$3) with (add\$3 or insert\$3 or append\$3) with (information or knowledge or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:48
S55	3387	S53 and ((add\$3 or insert\$3 or append\$3) with (information or knowledge or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:49
S56	331	S53 and ((add\$3 or insert\$3 or append\$3) with (information or knowledge or data) with (common or standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:50
S57	40	S56 and (rules and alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:51

S58	1159741	(receiv\$3 with (plurality adj\$3 inputs))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:56
S59	1972537	(receiv\$3 with (plurality adj\$3 (messages or signals or inputs)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:57
S60	211321	S59 and ((messages or inputs or signala or files) with ((different or various)adj\$3 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:59
S61	1545	S60 and ((convert\$3 or translat\$3) with ((common or standard or text) adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:01
S62	821	S61 and ((add\$3 or insert\$3 or append\$3) with (information or knowledge or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:04
S63	20	S62 and (generate adj (alert or indication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:06
S64	576	S62 and (event or incident or occurrence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:11
S65	4	S63 and (("knowledge base table" or "intelligent table" or table) with (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:31
S67	95	S64 and (("knowledge base table" or "intelligent table" or table) with (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:11
S68	995	S27 and ((different or various) adj\$3 format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:14

S69	493	S68 and (rules and table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:15
S70	177	S69 and ((convert43 or translat\$3) with ((standard or common)adj\$3 format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:16
S71	25	S70 and ((description or dxplanation) with event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:05
S72	106	((("Multi node" or "multihosr" or "multinode" or "multi host")adj environment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:21
S73	831	(output with ((different or various)adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:23
S74	41	S73 and ((convert\$3 or translat\$3) with ((common or standard)adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:41
S75	12	S73 and ((convert\$3 or translat\$3) with (text adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:47
S76	3548	((((generat\$3 or produc\$3) with alert) and ((monitor\$3 or examin\$4 or track\$3 or observ\$3 or supervis\$3)with alert))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:54
S77	288	S76 and ((filter\$3 or sort\$3) with alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:56
S78	87	S77 and (rule and format and table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:56

S79	3682	"intrusion detection"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:57
S80	1	"intrusion detection" and ("WBEM" or "web based enterprise managment")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 17:00
S81	20022	"common information model" or "CIM"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 17:02
S83	0	S81 and "event correction"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 17:03
S84	300	"event correction"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 17:03
S85	95	("6092102" "6671811" "6769066" "6292830" "6278799" "5295067" "6134614" "6134615" "5021825" "6009421" "5230061" "5549654" "5351368" "5367363" RE36301 "6287765" "6324665" "6356885" "6226372" "6226372" "4992789" "5432706" "6370475" "5987454" "6648823" "6148369" "5828846" "5768590" "5587935" "6064971" "6219654" "6219654" "6249769" "4841441" "5428619" "5710900" "5727174" "5832496" "5870746" "6163732" "6236994" "6260020" "6411936" "6430609" "6466975" "6473748" "6526387" "6557008" "6711585" "6892195").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:12
S86	100	("6901306" "5815196" "6336118" "6470482" "5025391" "5253184" "5394543" "5404503" "5687290" "5802255" "6088731" "6243697" "6260004" "6330525" "4916614" "5314609" "5655081" "5870605" "5873084" "5974417" "6021443" "6119159" "4815076" "5295230" "5307446" "5337320" "5373486" "5388189" "5398304" "5402524" "5402526" "5412756" "5442555" "5493729" "5557742" "5822741" "6085183" "4864492" "4916625" "5067099" "5034898" "5265035" "5412753" "5418889" "5457694" "5483637" "5524176" "5528516" "5544256" "5621889").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 09:29
S90	2	"Managing Computer Security Information".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:23

S96	1	"computer security incidents".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:31
S97	3397514	((handl\$3 or manag\$3) adj\$3 "security event")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:32
S98	2456221	((handl\$3 or manag\$3) adj\$2 "security event")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:32
S99	1309	S98 and ((convert\$3 or translat43) with ((standard or uniform or common)adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:34
S10 0	64	S99 and ((source adj address) or (device adj ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:35
S10 1	723	S99 and ((add\$3 or insert\$3 or append\$3) with (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:37
S10 2	645	S101 and (rules or scopes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:38
S10 3	638	S102 and ((generat\$3 or produc\$3 or creat\$3) adj\$2 (alert or notification or warning or flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:45
S10 4	638	S102 and ((generat\$3 or produc\$3 or creat\$3) adj\$1 (alert or notification or warning or flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:45
S10 5	126	S104 and alert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:48

S10 6	237	S104 and (table and rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:48
S10 7	69	S106 and alert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 10:49
S10 8	9	("5442791" "5566346" "5623667" "5655081" "5675782" "5761669" "5872970" "5881232" "5966707").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/19 16:56
S11 2	2	"JP 2000295221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:10
S11 3	100	("6901306" "5815196" "6336118" "6470482" "5025391" "5253184" "5394543" "5404503" "5687290" "5802255" "6088731" "6243697" "6260004" "6330525" "4916614" "5314609" "5655081" "5870605" "5873084" "5974417" "6021443" "6119159" "4815076" "5295230" "5307446" "5337320" "5373486" "5388189" "5398304" "5402524" "5402526" "5412756" "5442555" "5493729" "5557742" "5822741" "6085183" "4864492" "4916625" "5067099" "5034898" "5265035" "5412753" "5418889" "5457694" "5483637" "5524176" "5528516" "5544256" "5621889").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:30
S11 4	2	((("knowledge base table" or "intelligent table") with (add\$3 or insert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:34
S11 5	55	((("knowledge base table" or "intelligent table")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:45
S11 6	742	((("knowledge base") with (add\$3 or insert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:56
S11 7	529	S116 and (compar\$3 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:48
S11 8	153	S117 and (table with (entries or values))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:49

S11 9	152	S118 and (event or message or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:50
S12 0	111	S118 and (event or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:52
S12 1	309	((("knowledge base") with ((add\$3 or insert\$3)adj\$4 (message or data)) with (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:58
S12 2	64	S121 and (table with (entries or values))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:59